EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
.1	341524	(committed near2 information near2 rate) or (committed near2 burst near2 size) or "CIR" or "Bc"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 14:49
	13561529	exceed\$3 or surpass\$3 or threshold or above or high\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 14:50
L3	1816133	fail\$4 or (back\$1up) or (back near2 up) or redundan\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 14:50
Ľ4	16693	(370/389,216,351,352,353,354,355,356,357).OCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 14:51
L5	34311	11 with 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 14:54

L6	288	15 with 13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 14:55
L7	1649	5 same 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 14:55
L8	1	6 and 14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 14:55
L9	6	7 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 14:55
L10	1681454	fail\$4 or (back\$1up) or (back near2 up) or redundan\$2or re \$1rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 15:00
L11	2133	11 with 110	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 15:00

L12	265	11 with 2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWIBNT; IBM_TDB	OR	OFF	2008/09/09 15:01
L13	2	112 and 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; 1BM_TDB	OR	OFF	2008/09/09 15:01
L14	28716677	@ad<"20040422" or @rlad<"20040422"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; 1BM_TDB	OR	OFF	2008/09/09 15:03
L15	28	114 and 112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 15:04
L16	4	(("6424629") or ("6108300")).FN.	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 15:08
L17	0	11 and 16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2008/09/09 15:08

L18	2415	(william near2 taylor).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 15:09
L19	2519	((william near2 taylor) or (david near2 massengill) or (john near2 hollingsworth)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 15:09
L20	29	119 and (logical near2 circuit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 15:10
L21	26	20 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 15:10
L22	0	(circuit with re\$1rout\$3 with I1 with table\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 15:40
L23	0	(circuit with re\$1rout\$3 with I1 with table\$1).dm.	US-PGPUB; USPAT	OR	OFF	2008/09/09 15:41
S1	2	("6826184"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 18:41

\$2	2	("20030091024").PN.	US PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 18:50
S3	2	("6377548").PN.	US-PGPUB; USPAT; EPO; JPO; DERWIENT; IBM_TDB	OR	OFF	2007/09/12 18:51
S 4	370	trap adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 18:51
S5	30	trap adj data and "370" das.	US PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 09:56
S6	2	("7240364"). PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 19:15
S7	2	("6181679").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/12 19:15
S8	2	("7027053"), PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:23

S9	7	rerout\$3 circuit data statistics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/09/13 10:09
S10	2	("6195416").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 10:31
S11	2	("6167025").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 17:04
S12	5020	billing and "370" clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 17:05
S13	1178	customer same billing and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 17:05
S14	853	customer with billing and "370".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 17:05
S15	14266	(370/389,216,351,352,353,354,355,356,357).OCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/13 17:21

S16	351	S14 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 17:21
S17	456	S13 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 17:22
S18	150	S17 and 370/389	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 17:25
S19	12	billing adj report and 370/389	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 17:25
3 20	10	(("6167025") or ("5894475") or ("6181679") or ("20050013242") or ("6826184")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/06 18:42
2 1	2	("6108300").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/10 08:41
\$22	0	Stand restore	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/10 08:41

\$23	2	("6167025").PN.	US PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/10 09:27
\$24	1	(memory or buffer or queue) and \$23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/10 09:27
\$25	37151	temporary with (memory or buffer or queue) with (data or information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/10 09:30
\$26	3	temporary with (memory or buffer or storage or queue) with (data or information) same ("re-route" or reroute)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/10 09:31
2 7	2	("20050238007").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 17:55
32 8	1	\$27 and rename	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/12 17:55

\$29	602175	updat\$3 table with (real near2 time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:00
S30	599223	updat\$3 table with (real near2 time) with (statistic\$1 or data)	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:01
S31	598210	updat\$3 table with (real near2 time) with (statistic\$1 or data) with (re\$1rout\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:01
S32	16164	(370/389,216,351,352,353,354,355,356,357). OCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:02
S33	7259	\$31 and \$32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:02
S34	0	S31 and S32 with fail\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:02

S35	0	S31 and S32 same fail\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:02
S36	3398	S31 and S32 and fail\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:03
S37	436	S31 with fail\$3 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:03
S38	556	updat\$3 with table with (real near2 time)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:04
S39	28	S38 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:04
S40	178	updat\$3 with table with (real near2 time) with (statistic\$1 or data)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:06

S41	111	updat\$3 with table with (real near2 time) with (statistic\$1 or data) and(re\$1rout\$3)	US-PGPUB; USPAT; USCOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/13 16:07
S42	60750	updat\$3 with table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 19:09
S43	51	updat\$3 with table with re\$rout\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 19:09
S44	12	updat\$3 with table with re\$rout\$3 and utilization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 19:19
S45	20	updat\$3 with table with re\$rout\$3 and hop\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/18 19:22
S46	509	updat\$3 with table same utilization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:51

S47	194	updat\$3 with table with utilization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:51
S48	16205	(370/389,216,351,352,353,354,355,356,357).OCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÖFF	2008/06/19 10:52
S49	33	S46 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19
S50	9	S47 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 10:52
S51	2	("6424629").FN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 15:45
S52	756	S51 and VPI or VCI and ATM and PVC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 15:45

S53	1	SS1 and (VPI or VOI) and ATM and PVC	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 15:46
S54	1	S51 and SVC	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 16:01
S55	18	updat\$3 with table with utilization and hop\$1	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; [BM_TDB	OR	OFF	2008/06/19 16:29
S56	2	("20070115825"), PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 16:39
S57	1	S56 and ARPW	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; BM_TDB	OR	OFF	2008/06/19 16:39
S58	2	("6826184"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 17:11

S59	1	S58 and "CoS"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 17:11
S60	279	updat\$3 with number with hop\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 17:18
S61	61	updat\$3 with number with hop\$1 and re\$1rout\$3	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 17:19
S62	2	("7289437"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 19:27
S63	1	S62 and utilization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 19:27
S64	16205	(370/389,216,351,352,353,354,355,356,357).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19

S65	194	updat\$3 with table with utilization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 19:32
S66	9	S65 and S64	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19 19:32
S67	188	updat\$3 with re\$rout\$3 and utilization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19
S68	91	updat\$3 with re\$rout\$3 same utilization	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/19
S69	2	("20050238007").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09
S70	0	S69 and (committed near2 information) and (committed near2 burst) and statistic\$1	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/09 13:36

S71	1	S69 and (committed near2 information) and (committed near2	US-PGPUB;	OR	OFF	2008/09/09
		burst) and statistic\$1	USPAT;			13:37
			USOOR; FPRS;			
			EPO; JPO;			
			DERWENT,			
			IBM_TDB			

^{9/9/2008 3:41:20} PM

C:\ Documents and Settings\ ashivers\ My Documents\ EAST\ Workspaces\ 10829584 - tracking rerouting of circuit data with table and QOS parameters.wsp